

# GPA-770W

Rechargeable active speaker with two wireless receivers, 863-865 MHz, 16 channels



## Features

- 60W RMS
- 2 receivers
- Built-in receiver, amplifier and antenna
- Digital display (lit when changing channels)
- To be used with OKAYO wireless transmitters
- Autotracking
- Volume and tone control
- Stereo mic and line inputs
- Line out for feeding larger sound system, recording etc.
- MP3 with USB/SD audio player (accessory)
- Built-in rechargeable batteries (Ni-MH)
- 6-8 h. usage time
- AC/DC transformator
- Tripod included
- Use several speakers to create a better effect
- Can be supplemented with bodypack receivers with head/earphone or neck loop for hearing aid users

## Portable speaker for flexibility

The GPA-770W speaker with built-in amplifier, 2 wireless receivers and rechargeable batteries can easily be moved from one room to another.

With autotracking, AC/DC transformer and line out for another system, it's a first class speaker on tripod and you can also use several speakers to create a better effect.

## Univox Okayo Microphone Systems

A wireless microphone system with all devices needed: microphones, receivers, speakers and accessories. With this wide range of options, the system is uniquely flexible and can be easily configured for different applications. It is equally suitable for use in schools, seminars, meetings, places of worship, product demonstrations, aerobics classes and guided tours.

Using the 863-865 MHz frequencies, the system is less sensitive to disturbances than systems using lower frequencies. The system is available for operation at different frequencies in the range from 514MHz up to 865MHz. Please contact us to discuss your requirements.

Please refer to separate data sheets for Okayo wireless microphones, stationary transmitters and diversity receivers.

## Univox – co-developed with OKAYO

Univox and Okayo have co-developed body pack transmitters and receivers to improve speech intelligibility for hearing aid users. To comply with accessibility requirements and provide a good audio experience even for the hearing impaired, make sure you use these special developed products.

## Technical data

### Technical data – GPA-770W, 2 receivers, part no 504772S (tripod included)

Out effect	60W RMS
Speaker element	8" Neodymium woofer, 1" tweeter
Audio player (accessory)	MP3/USB/SD-reader, part no 504552
Receivers	DR-701Ax2 for two transmitters
Mic in	XLR/6.3mm (stereo)
Line in	2xRCA (stereo)
Line out	2xRCA (stereo)
Power supply	AC 100-240V/DC15V DC, 2A switched power supply
Built-in battery	12V, 4.5Ah x 2, rechargeable Ni-MH
Charge time	10-12 h
Usage time	6-8 h
Coverage	up to 70 m
Size	234 x 300 x 468 mm
Weight	9 kg (incl. batteries)



### Technical data – general OKAYO

PLL-receivers and -transmitters with frequencies 863-865 MHz (available in other frequencies)

16 channels

LCD indication channel, frequency, battery

Channel adjustment frequency set, up/down

Switching bandwidth Max. 12 MHz

Frequency deviation 80 kHz, with level control

Dynamic range 110 dB

Distorsion <1%

Pre-emphasis <50  $\mu$ S

Silent mode Tone key

Frequency response 70 Hz - 17 KHz



gpa-770w-br-gb 151104 Copyright © Bo Edin AB

 **univox**  
BY EDIN



For complete manual and system components, please refer to [univox.eu](http://univox.eu).